

HEALTH AND SAFETY DATA SHEET

1 Identification

Name **IRJ HEAD REPAIR – TEROSON 6700 (ADHESIVE COMPONENT)**
Supplier Rivval Ltd
Drumconrath Rd
Carrickasedge
Carrickmacross
Co. Monaghan
Tel No. 00353 (0) 429690882
Email sales@rivval.com

2 Composition information

Base substance of preparation. Polyol mixture with fillers.

Declaration of ingredients. Contains no dangerous substances exceeding the limits of the EU directive.

3 Hazards identification

None if used properly

4 First aid measures

Inhalation. Not applicable.

Eye contact. Wash with plenty of water immediately and seek medical advice if necessary.

Skin contact. Rinse with running water and soap.

Ingestion. Seek medical advice, symptomatic treatment.

5 Fire fighting measures

Extinguishing media. All common extinguishing agents.

Protective equipment. No particular measures required.

6 Accidental release measures

Environmental precautions. Do not empty into drains/surface water/ground water.

Method of cleaning up. Wipe up using absorbent material and subject to waste incineration.

7 Handling & storage

Handling. The normal precautions for dealing with chemical products should be taken.

Storage. Store in a cool, dry place. Storage at 15 to 25 deg C is recommended.

8 Exposure & personal protection

Components with specific control parameters for the workplace. None

Hand. Chemical-resistant gloves (EN 374). Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374) are Polychloroprene (CR \geq 1mm thickness) or natural rubber (NR \geq 1mm thickness). Suitable materials for longer direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Polychloroprene (CR \geq 1mm thickness) or natural rubber (NR \geq 1mm thickness). Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as result of the many influencing factors (E.G. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

General protection and hygiene measures. Do not eat, drink or smoke while working. Avoid skin contact.

9 Physical properties

Appearance:	pasty
Odour:	odourless
Colour:	cream
Density:	1.43 g/cm ³
Solubility in water (20°C)	insoluble
Solid content (105°C):	100%
Viscosity (dynamic): (Brookfield, 20°C)	28-32pa.s

10 Stability & reactivity

Conditions to avoid. None known if used for the intended purpose.

Materials to avoid. None known if used for the intended purpose.

Hazardous decomposition products. No decomposition if used according to specifications.

11 Toxicological information

General toxicological information. To the best of our knowledge, no harmful effects are to be expected if the product is handled and used properly.

12 Ecological information

General ecological information. Do not empty into drains, soil or bodies of water.

13 Disposal considerations

Disposal methods. The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. Mix small quantities (max 5 kg, otherwise heating is possible) of the components together in the prescribed proportions and leave to harden.

Waste code (EWC): 080410

14 Transportation information

General information: Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

15 Regulatory information

Product name: Teroson 6700

Supply symbol: N/A

Risk phrases: N/A

Safety phrases: N/A

16 Other information

The information contained in this document is furnished without warranty of any kind. Users should consider this data only as a supplement to other information gathered by themselves and must make independent determinations of the suitability and completeness of information from all sources to ensure proper use and disposal of these materials and the safety of their employees and customers.